ELSEVIER

Journal of Affective Disorders 81 (2004) 299–301

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Abdel-Baki, A., see Conus, P. (81) 259
Ahrén, B., see Westling, S. (81) 41
Alamo, C., see Rubio, G. (81) 67
Alevizos, B., see Papageorgiou, C.C. (81) 147
Amore, M., Strippoli, P., Laterza, C., Tagariello, P., Vitale, L., Casadei, R., Frabetti, F., Canaider, S., Lenzi, L., D'Addabbo, P., Carinci, P., Torroni, A., Ferrari, G. and Zannotti, M.
Sequence analysis of *ADARB1* gene in patients with familial bipolar disorder (81) 79
Atanackovic, D., Kröger, H., Serke, S. and Deter, H.-C.
Immune parameters in patients with anxiety or depression during psychotherapy (81) 201

Beekman, A.T.F., Deeg, D.J.H., Smit, J.H., Comijs, H.C., Braam, A.W., de Beurs, E. and van Tilburg, W.
Dysthymia in later life: a study in the community (81) 191
Beekman, A., see Smit, F. (81) 241
Beekman, A.T.F., see Spijker, J. (81) 231
Berv, D.A., see Miller, C.J. (81) 167
Bijl, R.V., see Spijker, J. (81) 231
Bongiorno, F., see Franchini, L. (81) 157
Bottlender, R., see Sato, T. (81) 103
Braam, A.W., see Beekman, A.T.F. (81) 191
Breier, A., see Namjoshi, M.A. (81) 223
Büla, C.J., see Camus, V. (81) 1

Camus, V., Kraehenbühl, H., Preisig, M., Büla, C.J. and Waeber, G.
Geriatric depression and vascular diseases: what are the links? (81) 1
Canaider, S., see Amore, M. (81) 79
Carinci, P., see Amore, M. (81) 79
Casadei, R., see Amore, M. (81) 79
Chan, S.S.M., see Tang, W.K. (81) 153
Chiu, H.F.K., see Tang, W.K. (81) 153
Chong, Y.S., see Yu, B.P. (81) 185
Christodoulou, G., see Papageorgiou, C.C. (81) 147
Comijs, H.C., see Beekman, A.T.F. (81) 191
Conus, P., Abdel-Baki, A., Harrigan, S., Lambert, M. and McGorry, P.D.
Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis (81) 259
Cuijpers, P., see Smit, F. (81) 241

D'Addabbo, P., see Amore, M. (81) 79
De Beurs, E., see Beekman, A.T.F. (81) 191
De Graaf, R., see Spijker, J. (81) 231
De Graaf, R., see Smit, F. (81) 241
Deeg, D.J.H., see Beekman, A.T.F. (81) 191
Deter, H.-C., see Atanackovic, D. (81) 201
Dotoli, D., see Franchini, L. (81) 157

Ellegaard, J., see Hvas, A.-M. (81) 269

Feifel, D., see Perry, W. (81) 179
Ferrari, G., see Amore, M. (81) 79
Frabetti, F., see Amore, M. (81) 79
Franchini, L., Bongiorno, F., Dotoli, D., Rainero, I., Pinessi, L. and Smeraldi, E.
Migraine headache and mood disorders: a descriptive study in an outpatient psychiatric population (81) 157

Gáti, Á., see Poór, V. (81) 55
Goldberg, J.F. and Harrow, M.
Consistency of remission and outcome in bipolar and unipolar mood disorders: a 10-year prospective follow-up (81) 123
Gräfe, K., see Löwe, B. (81) 61

Harrigan, S., see Conus, P. (81) 259
Harrow, M., see Goldberg, J.F. (81) 123
Haukka, J., see Partonen, T. (81) 133
Herrera, E., Reissland , N. and Shepherd, J.
Maternal touch and maternal child-directed speech: effects of depressed mood in the postnatal period (81) 29
Herzog, W., see Löwe, B. (81) 61
Higgins, N., Livingston, G. and Katona, C.
Concordance therapy: an intervention to help older people take antidepressants (81) 287
Hooke, G.R., see Page, A.C. (81) 275
Hulstijn, W., see Pier, M.P.B.I. (81) 73
Hvas, A.-M., Juul, S., Lauritzen, L., Nexø, E. and Ellegaard, J.
No effect of vitamin B-12 treatment on cognitive function and depression: a randomized placebo controlled study (81) 269

Joiner Jr., T.E., see Petty, S.C. (81) 115
Juricskay, S., see Poór, V. (81) 55
Juul, S., see Hvas, A.-M. (81) 269

Katona, C., see Higgins, N. (81) 287
Kennedy, N. and Paykel, E.S.
Treatment and response in refractory depression: results from a specialist affective disorders service (81) 49

doi:10.1016/S0165-0327(04)00232-0

Kessing, L.V.
Subtypes of manic episodes according to ICD-10—prediction of time to remission and risk of relapse (81) 279
Kim, Y.-K. and Myint, A.-M.
Clinical application of low serum cholesterol as an indicator for suicide risk in major depression (81) 161
Kläning, U., Laursen, T.M., Licht, R.W., Kyvik, K.O., Skytthe, A. and Mortensen, P.B.
Is the risk of bipolar disorder in twins equal to the risk in singletons? A nationwide register-based study (81) 141
Kleindienst, N., see Sato, T. (81) 103
Klugman, J., see Miller, C.J. (81) 167
Koeter, M.W.J., see van Wijngaarden, B. (81) 211
Kontopantelis, E., see Papageorgiou, C.C. (81) 147
Kraehenbühl, H., see Camus, V. (81) 1
Kroenke, K., see Löwe, B. (81) 61
Kröger, H., see Atanackovic, D. (81) 201
Kwok, T.C.Y., see Tang, K.K. (81) 153
Kyvik, K.O., see Kläning, U. (81) 141

Lambert, M., see Conus, P. (81) 259
Laterza, C., see Amore, M. (81) 79
Lauritzen, L., see Hvas, A.-M. (81) 269
Laursen, T.M., see Kläning, U. (81) 141
Lenzi, L., see Amore, M. (81) 79
Licht, R.W., see Kläning, U. (81) 141
Livingston, G., see Higgins, N. (81) 287
Lönnqvist, J., see Partonen, T. (81) 133
López-Muñoz, F., see Rubio, G. (81) 67
Löwe, B., Kroenke, K., Herzog, W. and Gräfe, K.
Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9) (81) 61
Lundt, L.
Modafinil treatment in patients with seasonal affective disorder/winter depression: an open-label pilot study (81) 173

Mackinger, H.F. and Svaldi, J.J.
Autobiographical memory predicts cognitive but not somatic change in sleep apnea patients vulnerable for affective disorder (81) 17
Maguire, G.A., see Yu, B.P. (81) 185
McGorry, P.D., see Conus, P. (81) 259
Miller, C.J., Klugman, J., Berv, D.A., Rosenquist, K.J. and Nassir Ghaemi, S.
Sensitivity and specificity of the Mood Disorder Questionnaire for detecting bipolar disorder (81) 167
Minassian, A., see Perry, W. (81) 179
Möller, H.-J., see Sato, T. (81) 103
Mok, V., see Tang, W.K. (81) 153
Mortensen, P.B., see Kläning, U. (81) 141
Murray, G.
How common is seasonal affective disorder in temperate Australia? A comparison of BDI and SPAQ estimates (81) 23
Myint, A.-M., see Kim, Y.-K. (81) 161

Namjoshi, M.A., Risser, R., Shi, L., Tohen, M. and Breier, A.
Quality of life assessment in patients with bipolar disorder treated with olanzapine added to lithium or valproic acid (81) 223
Nassir Ghaemi, S., see Miller, C.J. (81) 167
Nettle, D.
Evolutionary origins of depression: a review and reformulation (81) 91
Nevanlinna, H., see Partonen, T. (81) 133
Nexø, E., see Hvas, A.-M. (81) 269
Nolen, W.A., see Spijker, J. (81) 231

Ormel, J., see Spijker, J. (81) 231
Osváth, P., see Poór, V. (81) 55

Page, A.C. and Hooke, G.R.
Failure to replicate the effects of gender and season on the length of hospitalisation in unipolar depressives (81) 275
Papageorgiou, C.C., Alevizos, B., Ventouras, E., Kontopantelis, E., Uzunoglu, N. and Christodoulou, G.
Psychophysiological correlates of patients with delusional misidentification syndromes and psychotic major depression (81) 147
Partonen, T., Haukka, J., Nevanlinna, H. and Lönnqvist, J.
Analysis of the seasonal pattern in suicide (81) 133
Paykel, E.S., see Kennedy, N. (81) 49
Perry, W., Minassian, A. and Feifel, D.
Prepulse inhibition in patients with non-psychotic major depressive disorder (81) 179
Petty, S.C., Sachs-Ericsson, N. and Joiner Jr.,T.E.
Interpersonal functioning deficits: temporary or stable characteristics of depressed individuals? (81) 115
Pier, M.P.B.I., Hulstijn, W. and Sabbe, B.G.C.
Psychomotor retardation in elderly depressed patients (81) 73
Pinessi, L., see Franchini, L. (81) 157
Poór, V., Juricskay, S., Gáti, Á., Osváth, P. and Tényi, T.
Urinary steroid metabolites and 11β-hydroxysteroid dehyrogenase activity in patients with unipolar recurrent major depression (81) 55
Preisig, M., see Camus, V. (81) 1

Rainero, I., see Franchini, L. (81) 157
Reissland , N., see Herrera, E. (81) 29
Risser, R., see Namjoshi, M.A. (81) 223
Rosenquist, K.J., see Miller, C.J. (81) 167
Rubio, G., San, L., López-Muñoz, F. and Alamo, C.
Reboxetine adjunct for partial or nonresponders to antidepressant treatment (81) 67

Sabbe, B.G.C., see Pier, M.P.B.I. (81) 73
Sachs-Ericsson, N., see Petty, S.C. (81) 115
San, L., see Rubio, G. (81) 67
Sato, T., Bottlender, R., Sievers, M., Schröter, A., Kleindienst, N. and Möller, H.-J.
Evaluating the inter-episode stability of depressive mixed states (81) 103
Schene, A.H., see van Wijngaarden, B. (81) 211
Schröter, A., see Sato, T. (81) 103

Serke, S., see Atanackovic, D. (81) 201
Shepherd, J., see Herrera, E. (81) 29
Shi, L., see Namjoshi, M.A. (81) 223
Sievers, M., see Sato, T. (81) 103
Skytthe, A., see Kläning, U. (81) 141
Smeraldi, E., see Franchini, L. (81) 157
Smit, F., Beekman, A., Cuijpers, P., de Graaf, R. and Vollebergh, W.
Selecting key variables for depression prevention: results from a population-based prospective epidemiological study (81) 241
Smit, J.H., see Beekman, A.T.F. (81) 191
Spijker, J., de Graaf, R., Bijl, R.V., Beekman, A.T.F., Ormel, J. and Nolen, W.A.
Determinants of persistence of major depressive episodes in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS) (81) 231
Strippoli, P., see Amore, M. (81) 79
Svaldi, J.J., see Mackinger, H.F. (81) 17

Tagariello, P., see Amore, M. (81) 79
Tang, W.K., Chan, S.S.M., Chiu, H.F.K., Wong, K.S., Kwok, T.C.Y., Mok, V. and Ungvari, G.S.
Can the Geriatric Depression Scale detect poststroke depression in Chinese elderly? (81) 153
Tényi, T., see Poór, V. (81) 55
Tohen, M., see Namjoshi, M.A. (81) 223
Torroni, A., see Amore, M. (81) 79
Träskman-Bendz, L., see Westling, S. (81) 41

Ungvari, G.S., see Tang, W.K. (81) 153
Uzunoglu, N., see Papageorgiou, C.C. (81) 147

Van Tilburg, W., see Beekman, A.T.F. (81) 191
Van Wijngaarden, B., Schene, A.H. and Koeter, M.W.J.
Family caregiving in depression: impact on caregivers' daily life, distress, and help seeking (81) 211
Ventouras, E., see Papageorgiou, C.C. (81) 147
Vitale, L., see Amore, M. (81) 79
Vollebergh, W., see Smit, F. (81) 241

Waeber, G., see Camus, V. (81) 1
Westling, S., Ahrén, B., Träskman-Bendz, L. and Westrin, Å.
Low CSF leptin in female suicide attempters with major depression (81) 41
Westrin, Å., see Westling, S. (81) 41
Wong, K.S., see Tang, W.K. (81) 153

Yang, K.C.T., see Yip, P.S.F. (81) 251
Yip, P.S.F. and Yang, K.C.T.
A comparison of seasonal variation between suicide deaths and attempts in Hong Kong SAR (81) 251
Yu, B.P., Chong, Y.S. and Maguire, G.A.
Is generic flouxetine effective? (81) 185

Zannotti, M., see Amore, M. (81) 79

ELSEVIER

Journal of Affective Disorders 81 (2004) 303–306

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adaptation; Depression; Evolution; Neuroticism; Genetics **81**, 91

***ADARB1* gene**; Bipolar disorder; Sequencing; Polymorphism; Glutamate; Anticonvulsants **81**, 79

Adherence; Older people; Depression; Antidepressants; Concordance; Compliance **81**, 287

Adjunctive therapy; Olanzapine; Bipolar disorder; Quality of life **81**, 223

Affective disorders service; Treatment-resistant depression; Refractory depression; High-dose antidepressants; Combination antidepressants; Antidepressant augmentation; Electroconvulsive therapy **81**, 49

Affective relapse; Bipolar disorders; Outcome; Psychosocial functioning **81**, 123

Anticonvulsants; *ADARB1* gene; Bipolar disorder; Sequencing; Polymorphism; Glutamate **81**, 79

Antidepressant augmentation; Treatment-resistant depression; Refractory depression; High-dose antidepressants; Combination antidepressants; Electroconvulsive therapy; Affective disorders service **81**, 49

Antidepressants; Older people; Depression; Adherence; Concordance; Compliance **81**, 287

Anxiety disorder; Depression; Psychoneuroimmunology; $CD4^+/CD8^+$ ratio; Psychotherapy **81**, 201

Australia; Seasonal affective disorder; Prospective **81**, 23

Autobiographical memory; Sleep apnea syndrome; Prediction; Depression; Beck Depression Inventory subscales **81**, 17

Beck Depression Inventory subscales; Autobiographical memory; Sleep apnea syndrome; Prediction; Depression **81**, 17

Bipolar affective disorder; First episode mania; Outcome; Mood incongruent psychosis; First rank schneiderian symptoms **81**, 259

Bipolar disorder; *ADARB1* gene; Sequencing; Polymorphism; Glutamate; Anticonvulsants **81**, 79

Bipolar disorder; Twins; Epidemiology **81**, 141

Bipolar disorder; Self-report; Rating scales; Diagnosis; Misdiagnosis; Mania **81**, 167

Bipolar disorder; Olanzapine; Adjunctive therapy; Quality of life **81**, 223

Bipolar disorder; Mania; Psychotic symptoms; Remission; Relapse; Suicide; ICD-10 **81**, 279

Bipolar disorders; Affective relapse; Outcome; Psychosocial functioning **81**, 123

Caregiving; Depression; Patient **81**, 211

$CD4^+/CD8^+$ ratio; Anxiety disorder; Depression; Psychoneuroimmunology; Psychotherapy **81**, 201

Cerebrovascular disease; Depression; Vascular disease; Vascular risk factors; Ischaemic heart disease; Elderly; Review **81**, 1

Chinese; Stroke; Depression; Geriatric Depression Scale; Screening **81**, 153

Cholesterol; Suicide; Violence; Major depression **81**, 161

Clinical trial; Vitamin B-12; Depression; Cognitive impairment; Methylmalonic acid **81**, 269

Cognitive; Depression; Elderly; Psychomotor retardation; Motor **81**, 73

Cognitive impairment; Vitamin B-12; Depression; Clinical trial; Methylmalonic acid **81**, 269

Combination antidepressants; Treatment-resistant depression; Refractory depression; High-dose antidepressants; Antidepressant augmentation; Electroconvulsive therapy; Affective disorders service **81**, 49

Combination treatment; Resistant depression; Reboxetine **81**, 67

Compliance; Older people; Depression; Antidepressants; Adherence; Concordance **81**, 287

Concordance; Older people; Depression; Antidepressants; Adherence; Compliance **81**, 287

Clinical entity; Depressive mixed state; Diagnostic concept; Interepisode stability **81**, 103

CSF; Leptin; Suicide attempt; Major depressive disorder **81**, 41

Delusional misidentification syndromes (DMS); Event-related potentials (ERPs); P300; Psychotic major depression (PMD); Working memory (WM) **81**, 147

Depressed mood; Touch; Maternal child-directed speech; Infant emotional response **81**, 29

Depression; Vascular disease; Vascular risk factors; Ischaemic heart disease; Cerebrovascular disease; Elderly; Review **81**, 1

doi:10.1016/S0165-0327(04)00233-2

Depression; Autobiographical memory; Sleep apnea syndrome; Prediction; Beck Depression Inventory subscales **81**, 17

Depression; Elderly; Psychomotor retardation; Cognitive; Motor **81**, 73

Depression; Evolution; Neuroticism; Adaptation; Genetics **81**, 91

Depression; Interpersonal functioning; Temporary; Stable **81**, 115

Depression; Stroke; Geriatic depression scale; Screening; Chinese **81**, 153

Depression; Anxiety disorder; Psychoneuroimmunology; $CD4^+$/$CD8^+$ ratio; Psychotherapy **81**, 201

Depression; Caregiving; Patient **81**, 211

Depression; Vitamin B-12; Cognitive impairment; Methylmalonic acid; Clinical trial **81**, 269

Depression; Older people; Antidepressants; Adherence; Concordance; Compliance **81**, 287

Depressive disorder; Questionnaires; Outcome and process assessment (Health Care); Diagnosis; Sensitivity to change; Primary care **81**, 61

Depressive mixed state; Clinical entity; Diagnostic concept; Inter-episode stability **81**, 103

Depression; Prevention; Potential health benefits **81**, 241

Determinants; Major depressive disorder; Persistence; General population **81**, 231

Diagnosis; Depressive disorder; Questionnaires; Outcome and process assessment (Health Care); Sensitivity to change; Primary care **81**, 61

Diagnosis; Self-report; Rating scales; Bipolar disorder; Misdiagnosis; Mania **81**, 167

Diagnostic concept; Clinical entity; Depressive mixed state; Inter-episode stability **81**, 103

Dysthymic disorder; Elderly; Epidemiology; Prognosis **81**, 191

Elderly; Depression; Vascular disease; Vascular risk factors; Ischaemic heart disease; Cerebrovascular disease; Review **81**, 1

Elderly; Depression; Psychomotor retardation; Cognitive; Motor **81**, 73

Elderly; Dysthymic disorder; Epidemiology; Prognosis **81**, 191

Electroconvulsive therapy; Treatment-resistant depression; Refractory depression; High-dose antidepressants; Combination antidepressants; Antidepressant augmentation; Affective disorders service **81**, 49

Epidemiology; Bipolar disorder; Twins **81**, 141

Epidemiology; Dysthymic disorder; Elderly; Prognosis **81**, 191

Event-related potentials (ERPs); Delusional misidentification syndromes (DMS); P300; Psychotic major depression (PMD); Working memory (WM) **81**, 147

Evolution; Depression; Neuroticism; Adaptation; Genetics **81**, 91

Familiarity; Migraine; Mood disorder; Normothymia **81**, 157

Fatigue; Modafinil; Seasonal affective disorder; Winter depression; Wakefulness **81**, 173

First episode mania; Outcome; Mood incongruent psychosis; First rank schneiderian symptoms; Bipolar affective disorder **81**, 259

First rank schneiderian symptoms; First episode mania; Outcome; Mood incongruent psychosis; Bipolar affective disorder **81**, 259

Gas chromatography; Urinary steroids; 11β -HSD; Major depression **81**, 55

Gender differences; Hospitalisation; Seasonal variation; Unipolar depression **81**, 275

General population; Major depressive disorder; Persistence; Determinants **81**, 231

Genetics; Depression; Evolution; Neuroticism; Adaptation **81**, 91

Geriatric Depression Scale; Stroke; Depression; Screening; Chinese **81**, 153

Glutamate; *ADARB1* gene; Bipolar disorder; Sequencing; Polymorphism; Anticonvulsants **81**, 79

Harmonic analysis; Hong Kong SAR; Seasonality; Suicide deaths; Suicide attempts **81**, 251

High-dose antidepressants; Treatment-resistant depression; Refractory depression; Combination antidepressants; Antidepressant augmentation; Electroconvulsive therapy; Affective disorders service **81**, 49

Hong Kong SAR; Harmonic analysis; Seasonality; Suicide deaths; Suicide attempts **81**, 251

Hospitalisation; Gender differences; Seasonal variation; Unipolar depression **81**, 275

11β -HSD; Urinary steroids; Gas chromatography; Major depression **81**, 55

ICD-10; Mania; Bipolar disorder; Psychotic symptoms; Remission; Relapse; Suicide **81**, 279

Infant emotional response; Depressed mood; Touch; Maternal child-directed speech **81**, 29

Inhibitory deficits; Sensorimotor gating; Prepulse inhibition; Schizophrenia; Major depressive disorder **81**, 179

Inter-episode stability; Clinical entity; Depressive mixed state; Diagnostic concept **81**, 103

Interpersonal functioning; Depression; Temporary; Stable **81**, 115

Ischaemic heart disease; Depression; Vascular disease; Vascular risk factors; Cerebrovascular disease; Elderly; Review **81**, 1

Leptin; CSF; Suicide attempt; Major depressive disorder **81**, 41

Major depression; Urinary steroids; Gas chromatography; 11β -HSD **81**, 55

Major depression; Suicide; Violence; Cholesterol **81**, 161

Major depressive disorder; Leptin; CSF; Suicide attempt **81**, 41

Major depressive disorder; Sensorimotor gating; Prepulse inhibition; Schizophrenia; Inhibitory deficits **81**, 179

Major depressive disorder; Persistence; Determinants; General population **81**, 231

Mania; Self-report; Rating scales; Bipolar disorder; Diagnosis; Misdiagnosis **81**, 167

Mania; Bipolar disorder; Psychotic symptoms; Remission; Relapse; Suicide; ICD-10 **81**, 279

Maternal child-directed speech; Depressed mood; Touch; Infant emotional response **81**, 29

Methylmalonic acid; Vitamin B-12; Depression; Cognitive impairment; Clinical trial **81**, 269

Migraine; Mood disorder; Normothymia; Familiarity **81**, 157

Misdiagnosis; Self-report; Rating scales; Bipolar disorder; Diagnosis; Mania **81**, 167

Modafinil; Seasonal affective disorder; Winter depression; Fatigue; Wakefulness **81**, 173

Mood disorder; Migraine; Normothymia; Familiarity **81**, 157

Mood incongruent psychosis; First episode mania; Outcome; First rank schneiderian symptoms; Bipolar affective disorder **81**, 259

Motor; Depression; Elderly; Psychomotor retardation; Cognitive **81**, 73

Neuroticism; Depression; Evolution; Adaptation; Genetics **81**, 91

Normothymia; Migraine; Mood disorder; Familiarity **81**, 157

Olanzapine; Adjunctive therapy; Bipolar disorder; Quality of life **81**, 223

Older people; Depression; Antidepressants; Adherence; Concordance; Compliance **81**, 287

Outcome; Bipolar disorders; Psychosocial functioning; Affective relapse **81**, 123

Outcome; First episode mania; Mood incongruent psychosis; First rank schneiderian symptoms; Bipolar affective disorder **81**, 259

Outcome and process assessment (Health Care); Depressive disorder; Questionnaires; Diagnosis; Sensitivity to change; Primary care **81**, 61

P300; Delusional misidentification syndromes (DMS); Event-related potentials (ERPs); Psychotic major depression (PMD); Working memory (WM) **81**, 147

Patient; Caregiving; Depression **81**, 211

Persistence; Major depressive disorder; Determinants; General population **81**, 231

Polymorphism; *ADARB1* gene; Bipolar disorder; Sequencing; Glutamate; Anticonvulsants **81**, 79

Population; Seasons; Suicide **81**, 133

Potential health benefits; Depressive disorder; Prevention **81**, 241

Prediction; Autobiographical memory; Sleep apnea syndrome; Depression; Beck Depression Inventory subscales **81**, 17

Prepulse inhibition; Sensorimotor gating; Inhibitory deficits; Schizophrenia; Major depressive disorder **81**, 179

Prevention; Depressive disorder; Potential health benefits **81**, 241

Primary care; Depressive disorder; Questionnaires; Outcome and process assessment (Health Care); Diagnosis; Sensitivity to change **81**, 61

Prognosis; Dysthymic disorder; Elderly; Epidemiology **81**, 191

Prospective; Seasonal affective disorder; Australia **81**, 23

Psychomotor retardation; Depression; Elderly; Cognitive; Motor **81**, 73

Psychoneuroimmunology; Anxiety disorder; Depression; $CD4^+$/$CD8^+$ ratio; Psychotherapy **81**, 201

Psychosocial functioning; Bipolar disorders; Outcome; Affective relapse **81**, 123

Psychotherapy; Anxiety disorder; Depression; Psychoneuroimmunology; $CD4^+$/$CD8^+$ ratio **81**, 201

Psychotic major depression (PMD); Delusional misidentification syndromes (DMS); Event-related potentials (ERPs); P300; Working memory (WM) **81**, 147

Psychotic symptoms; Mania; Bipolar disorder; Remission; Relapse; Suicide; ICD-10 **81**, 279

Quality of life; Olanzapine; Adjunctive therapy; Bipolar disorder **81**, 223

Questionnaires; Depressive disorder; Outcome and process assessment (Health Care); Diagnosis; Sensitivity to change; Primary care **81**, 61

Rating scales; Self-report; Bipolar disorder; Diagnosis; Misdiagnosis; Mania **81**, 167

Reboxetine; Resistant depression; Combination treatment **81**, 67

Refractory depression; Treatment-resistant depression; High-dose antidepressants; Combination antidepressants; Antidepressant augmentation; Electroconvulsive therapy; Affective disorders service **81**, 49

Relapse; Mania; Bipolar disorder; Psychotic symptoms; Remission; Suicide; ICD-10 **81**, 279

Remission; Mania; Bipolar disorder; Psychotic symptoms; Relapse; Suicide; ICD-10 **81**, 279

Resistant depression; Combination treatment; Reboxetine **81**, 67

Review; Depression; Vascular disease; Vascular risk factors; Ischaemic heart disease; Cerebrovascular disease; Elderly **81**, 1

Screening; Stroke; Depression; Geriatric Depression Scale; Chinese **81**, 153

Schizophrenia; Sensorimotor gating; Inhibitory deficits; Prepulse inhibition; Major depressive disorder **81**, 179

Seasonal affective disorder; Australia; Prospective **81**, 23

Seasonal affective disorder; Modafinil; Winter depression; Fatigue; Wakefulness **81**, 173

Seasonality; Hong Kong SAR; Harmonic analysis; Suicide deaths; Suicide attempts **81**, 251

Seasonal variation; Gender differences; Hospitalisation; Unipolar depression **81**, 275

Seasons; Population; Suicide **81**, 133

Self-report; Rating scales; Bipolar disorder; Diagnosis; Misdiagnosis; Mania **81**, 167

Sensitivity to change; Depressive disorder; Questionnaires; Outcome and process assessment (Health Care); Diagnosis; Primary care **81**, 61

Sensorimotor gating; Schizophrenia; Inhibitory deficits; Prepulse inhibition; Major depressive disorder **81**, 179

Sequencing; *ADARB1* gene; Bipolar disorder; Polymorphism; Glutamate; Anticonvulsants **81**, 79

Sleep apnea syndrome; Autobiographical memory; Prediction; Depression; Beck Depression Inventory subscales **81**, 17

Stable; Interpersonal functioning; Temporary; Depression **81**, 115

Stroke; Depression; Geriatric Depression Scale; Screening; Chinese **81**, 153

Suicide; Population; Seasons **81**, 133

Suicide; Violence; Cholesterol; Major depression **81**, 161

Suicide; Mania; Bipolar disorder; Psychotic symptoms; Remission; Relapse; ICD-10 **81**, 279

Suicide attempt; Leptin; CSF; Major depressive disorder **81**, 41

Suicide attempts; Hong Kong SAR; Harmonic analysis; Seasonality; Suicide deaths **81**, 251

Suicide deaths; Hong Kong SAR; Harmonic analysis; Seasonality; Suicide attempts **81**, 251

Temporary; Interpersonal functioning; Stable; Depression **81**, 115

Touch; Depressed mood; Maternal child-directed speech; Infant emotional response **81**, 29

Treatment-resistant depression; Refractory depression; High-dose antidepressants; Combination antidepressants; Antidepressant augmentation; Electroconvulsive therapy; Affective disorders service **81**, 49

Twins; Bipolar disorder; Epidemiology **81**, 141

Unipolar depression; Gender differences; Hospitalisation; Seasonal variation **81**, 275

Urinary steroids; Gas chromatography; 11β -HSD; Major depression **81**, 55

Vascular disease; Depression; Vascular risk factors; Ischaemic heart disease; Cerebrovascular disease; Elderly; Review **81**, 1

Vascular risk factors; Depression; Vascular disease; Ischaemic heart disease; Cerebrovascular disease; Elderly; Review **81**, 1

Violence; Suicide; Cholesterol; Major depression **81**, 161

Vitamin B-12; Methylmalonic acid; Depression; Cognitive impairment; Clinical trial **81**, 269

Wakefulness; Modafinil; Seasonal affective disorder; Winter depression; Fatigue **81**, 173

Winter depression; Modafinil; Seasonal affective disorder; Fatigue; Wakefulness **81**, 173

Working memory (WM); Delusional misidentification syndromes (DMS); Event-related potentials (ERPs); P300; Psychotic major depression (PMD) **81**, 147

Vol. 81
Contents

2004